


Koshi batten detail

Profile: Round 22

Weight: 0.199 kg/m

Batten thickness: 1.25mm



			Product Name				Project Name	Date	Page	Scale	Projection	
			KOSHI ROUND 22MM					07/2021	1 of 7	1:1		
			Approval	Check	Drawing	Design			Melbourne Showroom 2 Ginibi Drive Altona North VIC 3025		T +613 9398 8128 info@covet.com.au www.covet.com.au	
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.										

Koshi batten detail


Profile: Round 30

Weight: 0.347 kg/m

Batten thickness: 2.2mm

End cap thickness: 2.8mm

End cap: Coloured ABS plastic




		Product Name				Project Name		Date	Page	Scale	Projection
		KOSHI ROUND 30MM						07/2021	2 of 7	1:1	
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.		Approval	Check	Drawing	Design	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 2em; font-weight: bold; color: red;">covet[®]</div> <div style="text-align: right;"> <p>Melbourne Showroom 2 Ginibi Drive Altona North VIC 3025</p> <p>T +613 9398 8128 info@covet.com.au www.covet.com.au</p> </div> </div>			
	End Caps	Screw fix or apply exterior grade adhesive (Sikaflex) to secure cap to batten.									

Koshi batten detail

Profile: Round 40

Weight: 0.552 kg/m

Batten thickness: 1.7mm



		Product Name				Project Name	Date	Page	Scale	Projection	
		KOSHI ROUND 40MM					07/2021	3 of 7	1:1		
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.				Approval	Check	Drawing	Design	Melbourne Showroom 2 Ginibi Drive Altona North VIC 3025 T +613 9398 8128 info@covet.com.au www.covet.com.au	

Koshi batten detail


Profile: Round 60

Weight: 0.841 kg/m



Batten thickness: 1.7mm





End cap thickness: 4.0mm

End cap: Coloured ABS plastic



Endcap detail






		Product Name				Project Name		Date	Page	Scale	Projection
		KOSHI ROUND 60MM						07/2021	4 of 7	1:1	
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.				Approval	Check	Drawing	Design	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  </div> <div style="text-align: center;"> <p>Melbourne Showroom 2 Ginibi Drive Altona North VIC 3025</p> </div> <div style="text-align: center;"> <p>T +613 9398 8128 info@covet.com.au www.covet.com.au</p> </div> </div>	
	End Caps	Screw fix or apply exterior grade adhesive (Sikaflex) to secure cap to batten.									





Koshi batten detail

Profile: Round 80

Weight: 1.323 kg/m
 Batten thickness: 2.0mm
 End cap thickness: 4.5mm
 End cap: Coloured ABS plastic

Endcap detail




		Product Name				Project Name		Date	Page	Scale	Projection
		KOSHI ROUND 80MM						07/2021	5 of 7	1:1	
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.				Approval	Check	Drawing	Design	 Melbourne Showroom 2 Ginibi Drive Altona North VIC 3025 T +613 9398 8128 info@covet.com.au www.covet.com.au	
	End Caps	Screw fix or apply exterior grade adhesive (Sikaflex) to secure cap to batten.									

Koshi batten detail

Profile: Round 90

Weight: 1.493 kg/m






Batten thickness: 2.0mm



			Product Name				Project Name	Date	Page	Scale	Projection	
			KOSHI ROUND 90MM					07/2021	6 of 7	1:1		
			Approval	Check	Drawing	Design			Melbourne Showroom 2 Ginibi Drive Altona North VIC 3025		T +613 9398 8128 info@covet.com.au www.covet.com.au	
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.										

Koshi Batten Installation Guide

- Aluminium can be damaged if mishandled. Never strike directly with a hammer or rubber mallet. Use a pine plank between the striking rubber mallet and the extrusion to avoid surface damage or denting.
- Cut aluminium with a drop saw using an aluminium blade.
- Always cap ends of extrusions with supplied end caps or a flashing to avoid moisture ingress.
- Metal end caps (painted) must be screwed to the extrusion.
- All end caps can only be applied to straight 90 degree cuts. They cannot be applied to angle end cuts.
- Ensure appropriate screws are used to suit the substrate you are fastening to. It is important to use stainless steel or bi-metal screws for all metal surfaces impacted when fastening (i.e. furring channels, top hats, steel frames). This will prevent galvanic reaction between the screw/substrate and aluminium extrusion.
- Fasten at maximum 1 metre spans. Please contact Covet for further information.

		Product Name				Project Name	Date	Page	Scale	Projection
		KOSHI ROUND					07/2021	7 of 7		
						 <div style="display: flex; justify-content: space-between; font-size: small;"> <div>Melbourne Showroom 2 Ginibi Drive Altona North VIC 3025</div> <div>T +613 9398 8128 info@covet.com.au www.covet.com.au</div> </div>				
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.								
	End Caps	Screw fix or apply exterior grade adhesive (Sikaflex) to secure cap to batten.								