
Drawing Number

### Kabebari batten detail


Profile: Plank 100x12mm

Base: 0.692kg/m Cover: 0.417kg/m Total: 1.109kg/m






## Endcap detail




A		Ensure there is a 1mm gap between the base male sections when installing. Insufficient spacing will result in difficulty attaching female sections.	Product Name  Ever Art Wood - Kabebari				Project Name	Creation Date	Page	Scale	Projection
<u> </u>	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.				bari	Plank 100x12		1 of 6	1:1	₩□
$\Lambda$	End caps	Apply exterior grade adhesive (Sikaflex) to secure cap to batten.	Approval	Approval Chek Drawing Design		Design	Customer	Distributor		Manufacturer	
No.	DATE							CO	veť	<b>" T</b>	ikasho


# Installation detail 🛕 🐧







A	Install	Ensure there is a 1mm gap between the base male sections when installing. Insufficient spacing will result in difficulty attaching female sections.	Product Name  Ever Art Wood - Kabebari				Project Name	Creation Date	Page	Scale	Projection
	Install	Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.				bari	Plank 100x12		2 of 6	1:1	₩□
$\Lambda$	End caps	Apply exterior grade adhesive (Sikaflex) to secure cap to batten.	Approval	Approval Chek Drawing		Design	Customer	Distributor		Manufacturer	
No.	DATE		1					CO	veť	<b>"</b> Ta	ака <b>s</b> но




## Kabebari 100x12 Plank Batten Installation Guide 🛕 🛕





- The aluminium battens are not a weatherproof system or a rainscreen. The underlying building envelope must form the weatherline. The details for the building envelope shown in this documentation are for demonstration purposes only. A registered building practitioner or facade engineer should be engaged to ensure the building envelope and weatherproofing is compliant.
- Aluminium can be damaged if mishandled. Never strike directly with a hammer or rubber mallet. Use a pine plank between the striking rubber mallet and the extrusion to avoid surface damage or denting.
- Cut aluminium with a drop saw using a fine tooth aluminium blade (example 120 tooth 255mm diameter aluminium blade).
- Always cap ends of extrusions with supplied end caps to avoid moisture ingress unless cover flashings are being used.
- Plastic end caps must be securely inserted with screws supplied or sikafelx applied to the inside of the extrusion before inserting.
- Custom folded flashings must be screwed, riveted or structurally taped to the extrustions and must not be load bearing. If a load bearing flashing is required it is recommended an appropriately sized aluminium angle is provided and overflashed with a custom Covet flashing for colour consistency.
- Plastic end caps can only be applied to straight 90 degree cuts. They cannot be applied to angle end cuts. A sample of available custom folded flashings is provided in this installation guide.
- Ensure appropriate screws are used to suit the substrate you are fastening to. It is important to use Class 4 stainless steel or bi-metal screws for all metal surfaces impacted when fastening (i.e. furring channels, top hats, steel frames). This will prevent galvanic reaction between the screw/substrate and aluminium extrusion.
- Fasten at maximum 1 metre spans. Please contact Covet for further information.
- Always fasten the male (base) section first. The female (top section) clips over the top. They can also slide on if necessary.
- When stacking 12x100 planks ensure there is a 1mm gap between the base male sections. Failure to allow sufficient spacing will result in difficulty attaching female sections.
- Where battens are installed vertically or on an angle, a ledger angle is required at the base to prevent the female section of the extrusion from slipping.

#### SAMPLE CUSTOM FLASHINGS



A	Install	Ensure there is a 1mm gap between the base male sections when installing. Insufficient		Product Name			Project Name	Creation Date	Page	Scale	Projection
<u>/2</u>	Install	spacing will result in difficulty attaching female sections.  Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.	Ever Art Wood - Kabebari			bari	Plank & Nami Plank 100x12		4 of 6	1:1	₩
$\Lambda$	End caps	Apply exterior grade adhesive (Sikaflex) to secure cap to batten.	Approval	Approval Chek [		Design	Customer	Distributor		Manufacturer	
No	DATE		1					covet		<b>"</b> Ta	акаѕно





A		Ensure there is a 1mm gap between the base male sections when installing. Insufficient		Product Name			Project Name	Creation Date	Page	Scale	Projection
	Install	spacing will result in difficulty attaching female sections.  Never strike extrusion directly with a hammer or rubber mallet. Use a pine plank between the tool and the extrusion to avoid surface damage or denting.	Eve	Ever Art Wood - Kabebari		bari	Plank & Nami Plank 100x12		6 of 6	1:1	<b>⊕</b>
人		Apply exterior grade adhesive (Sikaflex) to secure cap to batten.	Approval	Approval Chek Drawing Design			Customer	Distributor		Manufacturer	
No.	DATE		1					CO	veť	<b>T</b> a	akasho